

HYDRIC SOILS LIST
 Walla Walla County, Washington: Detailed Soil Map Legend

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
Ac: ACTIVE DUNE LAND	ACTIVE DUNE LAND	No	---	---	---	---	---	2,136
AdC: ADKINS FINE SANDY LOAM, 0 TO 15 PERCENT SLOPES	ADKINS	No	---	---	---	---	---	12,486
	Wet spots	Yes	depression	3	NO	NO	YES	---
AdC2: ADKINS FINE SANDY LOAM, 0 TO 15 PERCENT SLOPES, ERODED	ADKINS	No	---	---	---	---	---	99
	Wet spots	Yes	depression	3	NO	NO	YES	---
AdD: ADKINS FINE SANDY LOAM, 15 TO 30 PERCENT SLOPES	ADKINS	No	---	---	---	---	---	2,304
	Wet spots	Yes	depression	3	NO	NO	YES	---
AdE: ADKINS FINE SANDY LOAM, 30 TO 45 PERCENT SLOPES	ADKINS	No	---	---	---	---	---	1,420
AeD2: ADKINS FINE SANDY LOAM, SHALLOW, 8 TO 30 PERCENT SLOPES, ERODED	ADKINS	No	---	---	---	---	---	665
AfC: ADKINS LOAMY FINE SAND, 0 TO 15 PERCENT SLOPES	ADKINS	No	---	---	---	---	---	21,499
	Wet spots	Yes	depression	3	NO	NO	YES	---
AfC2: ADKINS LOAMY FINE SAND, 0 TO 15 PERCENT SLOPES, ERODED	ADKINS	No	---	---	---	---	---	6,904
	Wet spots	Yes	depression	3	NO	NO	YES	---
AfD: ADKINS LOAMY FINE SAND, 15 TO 30 PERCENT SLOPES	ADKINS	No	---	---	---	---	---	2,235
	Wet spots	Yes	depression	3	NO	NO	YES	---

HYDRIC SOILS LIST--Continued
 Walla Walla County, Washington: Detailed Soil Map Legend

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
Ate2: ATHENA SILT LOAM, 30 TO 45 PERCENT SLOPES, ERODED	ATHENA	No	---	---	---	---	---	99
Ba: BADLAND	BADLAND	No	---	---	---	---	---	1,679
BcD: BASALT ROCKLAND, UNDULATING TO HILLY	BASALT ROCKLAND	No	---	---	---	---	---	7,748
	KUHL	No	---	---	---	---	---	3,874
	Wet spots	Yes	hill	2B2	YES	NO	NO	---
BcF: BASALT ROCKLAND, STEEP	BASALT ROCKLAND	No	---	---	---	---	---	15,373
	LICKSKILLET	No	---	---	---	---	---	7,686
	Wet spots	Yes	hill	2B2	YES	NO	NO	---
BcG: BASALT ROCKLAND, VERY STEEP	BASALT ROCKLAND	No	---	---	---	---	---	560
	LICKSKILLET	No	---	---	---	---	---	280
BdF: BASALT ROCKLAND-WALLA WALLA COMPLEX, 30 TO 60 PERCENT SLOPES	BASALT ROCKLAND	No	---	---	---	---	---	273
	WALLA WALLA	No	---	---	---	---	---	191
Bk: BASALT ROCK OUTCROP	ROCK OUTCROP	No	---	---	---	---	---	616
Bm: BEVERLY FINE SANDY LOAM AND RIVERWASH	BEVERLY	No	---	---	---	---	---	104
	RIVERWASH	Yes	flood plain	4	NO	YES	NO	104
BnA: BEVERLY LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES	BEVERLY	No	---	---	---	---	---	169
	Wet spots	Yes	depression	2B1	YES	NO	NO	---
BoA: BEVERLY SANDY LOAM, 0 TO 3 PERCENT SLOPES	BEVERLY VARIANT	No	---	---	---	---	---	656
	Wet spots	Yes	depression	2B1	YES	NO	NO	---

HYDRIC SOILS LIST--Continued
 Walla Walla County, Washington: Detailed Soil Map Legend

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
Bp: BORROW PITS	BORROW PITS	No	---	---	---	---	---	30
CaA: CATHERINE SILT LOAM, 0 TO 3 PERCENT SLOPES	CATHERINE	No	---	---	---	---	---	2,155
	Wet spots	Yes	depression	2B2	YES	NO	NO	---
CoB: COUSE SILT LOAM, 3 TO 8 PERCENT SLOPES	COUSE	No	---	---	---	---	---	3,655
	Wet spots	Yes	hill	2B2	YES	NO	NO	---
CoB2: COUSE SILT LOAM, 3 TO 8 PERCENT SLOPES, ERODED	COUSE	No	---	---	---	---	---	1,987
	Wet spots	Yes	hill	2B2	YES	NO	NO	---
CoC: COUSE SILT LOAM, 8 TO 15 PERCENT SLOPES	COUSE	No	---	---	---	---	---	2,235
	Wet spots	Yes	hill	2B2	YES	NO	NO	---
CoC2: COUSE SILT LOAM, 8 TO 15 PERCENT SLOPES, ERODED	COUSE	No	---	---	---	---	---	1,291
	Wet spots	Yes	hill	2B2	YES	NO	NO	---
CoD: COUSE SILT LOAM, 15 TO 30 PERCENT SLOPES	COUSE	No	---	---	---	---	---	2,136
	Wet spots	Yes	hill	2B2	YES	NO	NO	---
CoD2: COUSE SILT LOAM, 15 TO 30 PERCENT SLOPES, ERODED	COUSE	No	---	---	---	---	---	944
	Wet spots	Yes	hill	2B2	YES	NO	NO	---
CoD3: COUSE SILT LOAM, 15 TO 30 PERCENT SLOPES, SEVERELY ERODED	COUSE	No	---	---	---	---	---	10
	Wet spots	Yes	hill	2B2	YES	NO	NO	---
CoE: COUSE SILT LOAM, 30 TO 45 PERCENT SLOPES	COUSE	No	---	---	---	---	---	2,871
	Wet spots	Yes	hill	2B2	YES	NO	NO	---

HYDRIC SOILS LIST--Continued
 Walla Walla County, Washington: Detailed Soil Map Legend

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
	Wet spots	Yes	flood plain	4	NO	YES	NO	---
EzA: ESQUATZEL SILT LOAM, 0 TO 3 PERCENT SLOPES	ESQUATZEL	No	---	---	---	---	---	3,765
	Wet spots	Yes	flood plain	4	NO	YES	NO	---
FaC: FARRELL VERY FINE SANDY LOAM, 3 TO 15 PERCENT SLOPES	FARRELL	No	---	---	---	---	---	1,301
FaD: FARRELL VERY FINE SANDY LOAM, 15 TO 30 PERCENT SLOPES	FARRELL	No	---	---	---	---	---	1,033
FaF: FARRELL VERY FINE SANDY LOAM, 30 TO 60 PERCENT SLOPES	FARRELL	No	---	---	---	---	---	328
GrD: GWIN ROCKY SILT LOAM, 0 TO 30 PERCENT SLOPES	GWIN	No	---	---	---	---	---	882
	ROCK OUTCROP	No	---	---	---	---	---	441
GrD2: GWIN ROCKY SILT LOAM, 0 TO 30 PERCENT SLOPES, ERODED	GWIN	No	---	---	---	---	---	1,735
	ROCK OUTCROP	No	---	---	---	---	---	867
GrF: GWIN ROCKY SILT LOAM, 30 TO 60 PERCENT SLOPES	GWIN	No	---	---	---	---	---	12,971
	ROCK OUTCROP	No	---	---	---	---	---	6,485
GvD2: GWIN VERY ROCKY SILT LOAM, 0 TO 30 PERCENT SLOPES, ERODED	GWIN	No	---	---	---	---	---	58
	ROCK OUTCROP	No	---	---	---	---	---	45
GvF2: GWIN VERY ROCKY SILT LOAM, 30 TO 60 PERCENT SLOPES, ERODED	GWIN	No	---	---	---	---	---	606
	ROCK OUTCROP	No	---	---	---	---	---	484

HYDRIC SOILS LIST--Continued
 Walla Walla County, Washington: Detailed Soil Map Legend

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
GwF: GWIN-ROCKLAND COMPLEX, 45 TO 60 PERCENT SLOPES	GWIN	No	---	---	---	---	---	250
	ROCKLY	No	---	---	---	---	---	188
	ROCK OUTCROP	No	---	---	---	---	---	125
HeC: HELMER SILT LOAM, 3 TO 15 PERCENT SLOPES	HELMER	No	---	---	---	---	---	4,410
	Wet spots	Yes	hill	2B2	YES	NO	NO	---
HeD: HELMER SILT LOAM, 15 TO 30 PERCENT SLOPES	HELMER	No	---	---	---	---	---	1,649
	Wet spots	Yes	hill	2B2	YES	NO	NO	---
HeE: HELMER SILT LOAM, 30 TO 45 PERCENT SLOPES	HELMER	No	---	---	---	---	---	3,208
	Wet spots	Yes	hill	2B2	YES	NO	NO	---
HeF: HELMER SILT LOAM, 45 TO 60 PERCENT SLOPES	HELMER	No	---	---	---	---	---	5,066
	Wet spots	Yes	hill	2B2	YES	NO	NO	---
HfF: HELMER-ROCKLAND COMPLEX, 45 TO 60 PERCENT SLOPES	HELMER	No	---	---	---	---	---	556
	ROCKLAND	No	---	---	---	---	---	159
HmA: HERMISTON SILT LOAM, 0 TO 3 PERCENT SLOPES	HERMISTON	No	---	---	---	---	---	2,077
	Wet spots	Yes	depression	4	NO	YES	NO	---
HnA: HERMISTON VERY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	HERMISTON	No	---	---	---	---	---	159
	Wet spots	Yes	depression	4	NO	YES	NO	---
HoC2: HEZEL LOAMY FINE SAND, 0 TO 15 PERCENT SLOPES, ERODED	HEZEL	No	---	---	---	---	---	7,688
	Wet spots	Yes	depression	3	NO	NO	YES	---

HYDRIC SOILS LIST--Continued
 Walla Walla County, Washington: Detailed Soil Map Legend

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
MvD: MAGALLON VERY ROCKY VERY FINE SANDY LOAM, 0 TO 30 PERCENT SLOPES	MAGALLON	No	---	---	---	---	---	118
	BAKEOVEN	No	---	---	---	---	---	101
	ROCK OUTCROP	No	---	---	---	---	---	84
	Wet spots	Yes	hill	2B2	YES	NO	NO	---
MvF: MAGALLON VERY ROCKY VERY FINE SANDY LOAM, 30 TO 60 PERCENT SLOPES	MAGALLON	No	---	---	---	---	---	87
	BAKEOVEN	No	---	---	---	---	---	74
	ROCK OUTCROP	No	---	---	---	---	---	62
OnA: ONYX SILT LOAM, 0 TO 3 PERCENT SLOPES	ONYX	No	---	---	---	---	---	9,367
	Wet spots	Yes	depression	2B2,4	YES	YES	NO	---
PaB: PALOUSE SILT LOAM, 0 TO 8 PERCENT SLOPES	PALOUSE	No	---	---	---	---	---	7,291
	Wet spots	Yes	hill	2B2	YES	NO	NO	---
PaD: PALOUSE SILT LOAM, 8 TO 30 PERCENT SLOPES	PALOUSE	No	---	---	---	---	---	1,232
	Wet spots	Yes	hill	2B2	YES	NO	NO	---
PaD2: PALOUSE SILT LOAM, 8 TO 30 PERCENT SLOPES, ERODED	PALOUSE	No	---	---	---	---	---	28,619
	Wet spots	Yes	hill	2B2	YES	NO	NO	---
PaE: PALOUSE SILT LOAM, 30 TO 45 PERCENT SLOPES	PALOUSE	No	---	---	---	---	---	5,056
PaF: PALOUSE SILT LOAM, 45 TO 60 PERCENT SLOPES	PALOUSE	No	---	---	---	---	---	596
PbB: PALOUSE SILT LOAM, MODERATELY DEEP, 0 TO 8 PERCENT SLOPES	PALOUSE	No	---	---	---	---	---	695

HYDRIC SOILS LIST--Continued
 Walla Walla County, Washington: Detailed Soil Map Legend

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
	Wet spots	Yes	hill	2B2	YES	NO	NO	---
PbD: PALOUSE SILT LOAM, MODERATELY DEEP, 8 TO 30 PERCENT SLOPES	PALOUSE	No	---	---	---	---	---	1,063
	Wet spots	Yes	hill	2B2	YES	NO	NO	---
PbD2: PALOUSE SILT LOAM, MODERATELY DEEP, 8 TO 30 PERCENT SLOPES, ERODED	PALOUSE	No	---	---	---	---	---	8,572
	Wet spots	Yes	hill	2B2	YES	NO	NO	---
PbE: PALOUSE SILT LOAM, MODERATELY DEEP, 30 TO 45 PERCENT SLOPES	PALOUSE	No	---	---	---	---	---	5,126
PbE2: PALOUSE SILT LOAM, MODERATELY DEEP, 30 TO 45 PERCENT SLOPES, ERODED	PALOUSE	No	---	---	---	---	---	6,496
PbF: PALOUSE SILT LOAM, MODERATELY DEEP, 45 TO 60 PERCENT SLOPES	PALOUSE	No	---	---	---	---	---	3,705
PbF2: PALOUSE SILT LOAM, MODERATELY DEEP, 45 TO 60 PERCENT SLOPES, ERODED	PALOUSE	No	---	---	---	---	---	1,331
PcA: PATIT CREEK COBBLY SILT LOAM, 0 TO 3 PERCENT SLOPES	PATIT CREEK VARIANT	No	---	---	---	---	---	1,400
	Wet spots	Yes	depression	2B2	YES	NO	NO	---
PkA: PATIT CREEK SILT LOAM, 0 TO 3 PERCENT SLOPES	PATIT CREEK VARIANT	No	---	---	---	---	---	1,996
	Wet spots	Yes	depression	2B2	YES	NO	NO	---
PmA: PEDIGO SILT LOAM, 0 TO 3 PERCENT SLOPES	PEDIGO	No	---	---	---	---	---	735
	Wet spots	Yes	depression	2B2	YES	NO	NO	---

HYDRIC SOILS LIST--Continued
 Walla Walla County, Washington: Detailed Soil Map Legend

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
PoA: PEDIGO SILT LOAM, OVERWASHED, 0 TO 3 PERCENT SLOPES	PEDIGO	No	---	---	---	---	---	844
	Wet spots	Yes	depression	2B2	YES	NO	NO	---
QcB2: QUINCY COMPLEX, 0 TO 8 PERCENT SLOPES, ERODED	QUINCY	No	---	---	---	---	---	632
	QUINCY	No	---	---	---	---	---	316
	Wet spots	Yes	depression	3	NO	NO	YES	---
Qd: QUINCY - DUNELAND COMPLEX	QUINCY	No	---	---	---	---	---	2,706
	QUINCY	No	---	---	---	---	---	1,353
	Wet spots	Yes	depression	3	NO	NO	YES	---
QfD2: QUINCY FINE SAND, 0 TO 30 PERCENT SLOPES, ERODED	QUINCY	No	---	---	---	---	---	14,850
	Wet spots	Yes	depression	3	NO	NO	YES	---
QfF2: QUINCY FINE SAND, 30 TO 60 PERCENT SLOPES, ERODED	QUINCY	No	---	---	---	---	---	139
	Wet spots	Yes	depression	---	---	---	---	---
QmB2: QUINCY LOAMY FINE SAND, MODERATELY DEEP OVER COARSE SAND, 0 TO 8 PERCENT, ERODED	QUINCY	No	---	---	---	---	---	7,251
	Wet spots	Yes	depression	3	NO	NO	YES	---
QmC2: QUINCY LOAMY FINE SAND, MODERATELY DEEP OVER COARSE SAND, 8 TO 15 PERCENT SLOPES, ERODED	QUINCY	No	---	---	---	---	---	497
	Wet spots	Yes	depression	3	NO	NO	YES	---

HYDRIC SOILS LIST--Continued
 Walla Walla County, Washington: Detailed Soil Map Legend

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
	Wet spots	Yes	depression	3	NO	NO	YES	---
R1D2: RITZVILLE SILT LOAM, 8 TO 30 PERCENT SLOPES, ERODED	RITZVILLE	No	---	---	---	---	---	207
	Wet spots	Yes	depression	3	NO	NO	YES	---
R1E: RITZVILLE SILT LOAM, 30 TO 45 PERCENT SLOPES	RITZVILLE	No	---	---	---	---	---	35,330
R1E2: RITZVILLE SILT LOAM, 30 TO 45 PERCENT SLOPES, ERODED	RITZVILLE	No	---	---	---	---	---	636
R1F: RITZVILLE SILT LOAM, 45 TO 60 PERCENT SLOPES	RITZVILLE	No	---	---	---	---	---	3,804
R1F2: RITZVILLE SILT LOAM, 45 TO 60 PERCENT SLOPES, ERODED	RITZVILLE	No	---	---	---	---	---	149
R1G: RITZVILLE SILT LOAM, 60 PERCENT AND STEEPER SLOPES	RITZVILLE	No	---	---	---	---	---	516
RmD: RITZVILLE SILT LOAM, MODERATELY DEEP, 8 TO 30 PERCENT SLOPES	RITZVILLE	No	---	---	---	---	---	1,341
RmE: RITZVILLE SILT LOAM, MODERATELY DEEP, 30 TO 45 PERCENT SLOPES	RITZVILLE	No	---	---	---	---	---	109
RtB: RITZVILLE VERY FINE SANDY LOAM, 0 TO 8 PERCENT SLOPES	RITZVILLE	No	---	---	---	---	---	7,619
	Wet spots	Yes	depression	3	NO	NO	YES	---
RtD: RITZVILLE VERY FINE SANDY LOAM, 8 TO 30 PERCENT SLOPES	RITZVILLE	No	---	---	---	---	---	23,946
	Wet spots	Yes	depression	3	NO	NO	YES	---

HYDRIC SOILS LIST--Continued
 Walla Walla County, Washington: Detailed Soil Map Legend

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
RtD2: RITZVILLE VERY FINE SANDY LOAM, 8 TO 30 PERCENT SLOPES, ERODED	RITZVILLE	No	---	---	---	---	---	447
	Wet spots	Yes	depression	3	NO	NO	YES	---
RtE: RITZVILLE VERY FINE SANDY LOAM, 30 TO 45 PERCENT SLOPES	RITZVILLE	No	---	---	---	---	---	2,493
RtF: RITZVILLE VERY FINE SANDY LOAM, 45 TO 60 PERCENT SLOPES	RITZVILLE	No	---	---	---	---	---	1,828
RtF2: RITZVILLE VERY FINE SANDY LOAM, 30 TO 60 PERCENT SLOPES, ERODED	RITZVILLE	No	---	---	---	---	---	606
RvB: RITZVILLE VERY FINE SANDY LOAM, VOLCANIC-ASH VARIANT, 0 TO 8 PERCENT SLOPES	RITZVILLE	No	---	---	---	---	---	278
RvD2: RITZVILLE VERY FINE SANDY LOAM, VOLCANIC-ASH VARIANT, 8 TO 30 PERCENT SLOPES, ERODED	RITZVILLE	No	---	---	---	---	---	914
RvF: RITZVILLE VERY FINE SANDY LOAM, VOLCANIC-ASH VARIANT, 30 TO 60 PERCENT SLOPES	RITZVILLE	No	---	---	---	---	---	1,212
Rw: RIVERWASH	RIVERWASH	Yes	flood plain	4	NO	YES	NO	695
SfD: SAGEMOOR ROCKY VERY FINE SANDY LOAM, 3 TO 30 PERCENT SLOPES	SAGEMOOR	No	---	---	---	---	---	494
	ROCK OUTCROP	No	---	---	---	---	---	141
SfD2: SAGEMOOR ROCKY VERY FINE SANDY LOAM, 8 TO 30 PERCENT SLOPES, ERODED	SAGEMOOR	No	---	---	---	---	---	334
	ROCK OUTCROP	No	---	---	---	---	---	95

HYDRIC SOILS LIST--Continued
 Walla Walla County, Washington: Detailed Soil Map Legend

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
SfE: SAGEMOOR ROCKY VERY FINE SANDY LOAM, 30 PERCENT AND STEEPER SLOPES	SAGEMOOR	No	---	---	---	---	---	257
	ROCK OUTCROP	No	---	---	---	---	---	73
SgA: SAGEMOOR SILT LOAM, 0 TO 3 PERCENT SLOPES	SAGEMOOR	No	---	---	---	---	---	2,385
SgB: SAGEMOOR SILT LOAM, 3 TO 8 PERCENT SLOPES	SAGEMOOR	No	---	---	---	---	---	1,867
SgC: SAGEMOOR SILT LOAM, 8 TO 15 PERCENT SLOPES	SAGEMOOR	No	---	---	---	---	---	1,573
SgC2: SAGEMOOR SILT LOAM, 8 TO 15 PERCENT SLOPES, ERODED	SAGEMOOR	No	---	---	---	---	---	129
SgD: SAGEMOOR SILT LOAM, 15 TO 30 PERCENT SLOPES	SAGEMOOR	No	---	---	---	---	---	924
SgD2: SAGEMOOR SILT LOAM, 15 TO 30 PERCENT SLOPES, ERODED	SAGEMOOR	No	---	---	---	---	---	656
SgE: SAGEMOOR SILT LOAM, 30 TO 45 PERCENT SLOPES	SAGEMOOR	No	---	---	---	---	---	526
SgE2: SAGEMOOR SILT LOAM, 30 TO 45 PERCENT SLOPES, ERODED	SAGEMOOR	No	---	---	---	---	---	308
SkA: SAGEMOOR SILT LOAM, SALINE-ALKALI, 0 TO 3 PERCENT SLOPES	SAGEMOOR	No	---	---	---	---	---	60
SkB: SAGEMOOR SILT LOAM, SALINE-ALKALI, 3 TO 8 PERCENT SLOPE	SAGEMOOR	No	---	---	---	---	---	89
SkC: SAGEMOOR SILT LOAM, SALINE-ALKALI, 8 TO 15 PERCENT SLOPES	SAGEMOOR	No	---	---	---	---	---	218

HYDRIC SOILS LIST--Continued
 Walla Walla County, Washington: Detailed Soil Map Legend

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
SkD: SAGEMOOR SILT LOAM, SALINE-ALKALI, 15 TO 30 PERCENT SLOPES	SAGEMOOR	No	---	---	---	---	---	20
SmA: SAGEMOOR VERY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	SAGEMOOR	No	---	---	---	---	---	705
SmB: SAGEMOOR VERY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	SAGEMOOR	No	---	---	---	---	---	3,904
SmC: SAGEMOOR VERY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	SAGEMOOR	No	---	---	---	---	---	1,877
SmC2: SAGEMOOR VERY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, ERODED	SAGEMOOR	No	---	---	---	---	---	198
SmD: SAGEMOOR VERY FINE SANDY LOAM, 15 TO 30 PERCENT SLOPES	SAGEMOOR	No	---	---	---	---	---	3,626
SmD2: SAGEMOOR VERY FINE SANDY LOAM, 15 TO 30 PERCENT SLOPES, ERODED	SAGEMOOR	No	---	---	---	---	---	854
SnB2: SAGEMOOR VERY FINE SANDY LOAM, SALINE- ALKALI, 3 TO 8 PERCENT SLOPES, ERODED	SAGEMOOR	No	---	---	---	---	---	21
SoA: SNOW SILT LOAM, 0 TO 3 PERCENT SLOPES	SNOW	No	---	---	---	---	---	6,288
	Wet spots	Yes	depression	2B2	YES	NO	NO	---
SpA: SPOFFORD SILT LOAM, 0 TO 3 PERCENT SLOPES	SPOFFORD	No	---	---	---	---	---	338
SpB: SPOFFORD SILT LOAM, 3 TO 8 PERCENT SLOPES	SPOFFORD	No	---	---	---	---	---	169

HYDRIC SOILS LIST--Continued
 Walla Walla County, Washington: Detailed Soil Map Legend

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
WaB: WALLA WALLA SILT LOAM, 0 TO 8 PERCENT SLOPES	WALLA WALLA	No	---	---	---	---	---	27,247
	Wet spots	Yes	depression	2B2,4	YES	YES	NO	---
WaD: WALLA WALLA SILT LOAM, 8 TO 30 PERCENT SLOPES	WALLA WALLA	No	---	---	---	---	---	77,088
	Wet spots	Yes	hill	2B2	YES	NO	NO	---
WaD2: WALLA WALLA SILT LOAM, 8 TO 30 PERCENT SLOPES, ERODED	WALLA WALLA	No	---	---	---	---	---	338
	Wet spots	Yes	hill	2B2	YES	NO	NO	---
WaE: WALLA WALLA SILT LOAM, 30 TO 45 PERCENT SLOPES	WALLA WALLA	No	---	---	---	---	---	26,979
WaE2: WALLA WALLA SILT LOAM, 30 TO 45 PERCENT SLOPES, ERODED	WALLA WALLA	No	---	---	---	---	---	1,400
WaF: WALLA WALLA SILT LOAM, 45 TO 60 PERCENT SLOPES	WALLA WALLA	No	---	---	---	---	---	7,182
WhB: WALLA WALLA SILT LOAM, HARDPAN VARIANT, 0 TO 8 PERCENT SLOPES	WALLA WALLA	No	---	---	---	---	---	198
W1B: WALLA WALLA SILT LOAM, LACUSTRINE SUBSTRATUM, 0 TO 8 PERCENT SLOPES	WALLA WALLA	No	---	---	---	---	---	1,808
	Wet spots	Yes	depression	2B2,4	YES	YES	NO	---
W1D: WALLA WALLA SILT LOAM, LACUSTRINE SUBSTRATUM, 8 TO 30 PERCENT SLOPES	WALLA WALLA	No	---	---	---	---	---	1,172
	Wet spots	Yes	hill	2B2	YES	NO	NO	---

HYDRIC SOILS LIST--Continued
 Walla Walla County, Washington: Detailed Soil Map Legend

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
W1D2: WALLA WALLA SILT LOAM, LACUSTRINE SUBSTRATUM, 8 TO 30 PERCENT SLOPES, ERODED	WALLA WALLA	No	---	---	---	---	---	288
	Wet spots	Yes	hill	2B2	YES	NO	NO	---
WvB: WALVAN VERY FINE SANDY LOAM, 0 TO 8 PERCENT SLOPES	WALVAN	No	---	---	---	---	---	338
WvD2: WALVAN VERY FINE SANDY LOAM, 8 TO 30 PERCENT SLOPES, ERODED	WALVAN	No	---	---	---	---	---	248
WvF2: WALVAN VERY FINE SANDY LOAM, 30 TO 60 PERCENT SLOPES, ERODED	WALVAN	No	---	---	---	---	---	238
YaA: YAKIMA COBBLY LOAM, 0 TO 3 PERCENT SLOPES	YAKIMA	No	---	---	---	---	---	189
	Wet spots	Yes	flood plain	4	NO	YES	NO	---
YkA: YAKIMA GRAVELLY SILT LOAM, 0 TO 3 PERCENT SLOPES	YAKIMA	No	---	---	---	---	---	2,742
	Wet spots	Yes	flood plain	4	NO	YES	NO	---
YmA: YAKIMA SILT LOAM, 0 TO 3 PERCENT SLOPES	YAKIMA	No	---	---	---	---	---	4,202
	Wet spots	Yes	flood plain	4	NO	YES	NO	---